

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/688,635	10/17/2003	Germaine Zocchi	F1584	1961
7590 05/06/2005			EXAMINER	
Colgate-Palmolive Company			FUBARA, BLESSING M	
909 River Road				
P. O. Box 1343			ART UNIT	PAPER NUMBER
Piscataway, NJ 08855-1343			1618	
			DATE MAILED, 05/05/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/688,635	ZOCCHI GERMAINE				
Office Action Summary	Examiner	Art Unit				
	Blessing M. Fubara	1618				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on <u>17 October 2003</u> .						
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-3 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1 and 3</u> is/are rejected.						
7)⊠ Claim(s) <u>2</u> is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 						
3. Copies of the certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5) 🔲 Notice of Informal Pa	atent Application (PTO-152)				
Paper No(s)/Mail Date 6) Other:						

DETAILED ACTION

Information Disclosure Statement

The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609 A(1) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the examiner on form PTO-892 has cited the references, they have not been considered.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Oldenhove (US 5,908,856).

Oldenhove discloses an aqueous composition containing at least a biostatic agent an at least one surfactant and water (abstract). The amount of the surfactant ranges from 0.5 to 10%; the amount of the biostatic agent ranges from 0.2 to 10 wt.% (column 2, lines 36-45). The surfactant is nonionic (column 2, line 46 to column 3 line 48) or anionic (column 3, line 49 to column 5 line 55). Oldenhove meets the limitations of the claims.

Application/Control Number: 10/688,635

Art Unit: 1618

Double Patenting

Page 3

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

- 4. Claims 1 and 3 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1 and 2 of U.S. Patent No. 6,479,044.

 Although the conflicting claims are not identical, they are not patentably distinct from each other because issued claim 1 comprises anionic surfactant, polyhexamethylene biguanide, non-anionic surfactant, fragrance and water; and the instant claim 1 contains anionic surfactant, water and polyhexamethylene biguanide. While issued claim 1 is not identical with instant claim 1, instant claims 1 and 3 taken as a whole represent obvious variation of the issued claims 1 and 2.
- 5. Claims 1 and 3 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1 and 3 of copending Application No. 10/224,692. Although the conflicting claims are not identical, they are not patentably distinct from each other because anionic biopolymer of examined claim 1 includes anionic surfactant species of the copending application and the polyhexamethylene biguanide is the same in both the examined claims and the copending claims. Applicant "could gain an extension of term on a species when the broad genus is later issued" and "since without a

Application/Control Number: 10/688,635 Page 4

Art Unit: 1618

disclaimer, species claims preclude issuance of generic claims" of the copending claims. In re Emert, 44 USPQ2d 1152 (CAFC 1997).

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

- 1. Claim 2 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. The prior art does not teach a composition comprising polyhexamethylene biguanide and mucin.
- 2. The specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Blessing M. Fubara whose telephone number is (571) 272-0594. The examiner can normally be reached on 7 a.m. to 3:30 p.m. (Monday to Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman K. Page can be reached on (571) 272-0602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/688,635

Art Unit: 1618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 5

Blessing Fubara Abubara

Patent Examiner

Tech. Center 1600